



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Inspection at Laredo, Tex.

Acting Assistant Surgeon Hamilton reports, through Acting Assistant Surgeon Frick, as follows:

Week ended November 12, 1904: Passenger trains from Mexico inspected, 13; persons on trains inspected, 460; immigrants inspected on trains, 27; immigrants vaccinated upon entry, 4; Pullman coaches disinfected, 14.

Inspection at Nogales, Ariz.

Acting Assistant Surgeon Gustetter reports as follows: Week ended November 12, 1904: Passengers inspected, 166; immigrants inspected, 43; immigrants deported, 10.

Statistical Reports of States and Cities of the United States, Yearly and Monthly.

CALIFORNIA—*Fresno*.—Month of October, 1904. Estimated population, 18,000. Total number of deaths 19, including enteric fever 1, and 1 from tuberculosis.

Oakland.—Month of October, 1904. Estimated population, 83,000. Total number of deaths 82, including diphtheria 1, enteric fever 1, whooping cough 2, and 9 from tuberculosis.

COLORADO—*Denver*.—Two weeks ended November 15, 1904. Estimated population, 175,000. Total number of deaths not reported. Five deaths from diphtheria, 1 death from enteric fever, 1 death from whooping cough, and 16 deaths from tuberculosis reported.

CONNECTICUT.—Reports to the State board of health for the month of October, 1904, from 165 towns, having an aggregate estimated population of 967,909, show a total of 1,152 deaths, including diphtheria 20, enteric fever 23, scarlet fever 2, whooping cough 2, and 92 from tuberculosis.

Hartford.—Month of October, 1904. Estimated population, 89,000. Total number of deaths 104, including diphtheria 2, enteric fever 1, and 12 from tuberculosis.

INDIANA—*Evansville*.—Month of October, 1904. Estimated population, 70,000. Total number of deaths 62, including diphtheria 2, enteric fever 3, smallpox 1, and 10 from tuberculosis.

MARYLAND—*Baltimore*.—Month of October, 1904. Estimated population, 541,000—white, 457,000; colored, 84,000. Total number of deaths, 780—white, 587; colored, 193—including diphtheria 15, enteric fever 25, scarlet fever 6, and 110 from tuberculosis.

MASSACHUSETTS—*Brockton*.—Month of October, 1904. Estimated population 46,601. Total number of deaths, 40, including enteric fever 1, scarlet fever 1, and 7 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended November 12, 1904, from 72 observers indicate that small-

pox, measles, puerperal fever, and inflammation of brain were more than usually prevalent, and pneumonia, erysipelas, intermittent fever, whooping cough, remittent fever, cholera infantum, and meningitis were less than usually prevalent.

Meningitis was reported present at 2; whooping cough at 11; pneumonia at 13; measles at 15; diphtheria at 38; smallpox at 51; scarlet fever at 61; enteric fever at 91, and phthisis pulmonalis at 227 places.

MINNESOTA—*Duluth*.—Month of October, 1904. Estimated population, 70,000. Total number of deaths, 48, including enteric fever 4, and 12 from tuberculosis.

NEW HAMPSHIRE—*Manchester*.—Month of October, 1904. Estimated population, 62,000. Total number of deaths, 74, including diphtheria, 1, and 5 from tuberculosis.

NEW YORK—*Auburn*.—Month of October, 1904. Estimated population, 38,500. Total number of deaths, 33, including diphtheria, 1, enteric fever, 1, and 8 from tuberculosis.

Buffalo.—Month of October, 1904. Estimated population, 380,000. Total number of deaths, 451, including diphtheria 7, enteric fever 19, measles 1, scarlet fever 1, whooping cough 1, and 44 from tuberculosis.

Rochester.—Month of September, 1904. Census population, 162,608. Total number of deaths, 218, including diphtheria 6, enteric fever 5, and 19 from tuberculosis.

Month of October, 1904. Total number of deaths, 187, including diphtheria 8, enteric fever 1, and 24 from tuberculosis.

OREGON—*Portland*.—Month of October, 1904. Estimated population, 125,000. Total number of deaths, 119, including diphtheria 1, enteric fever 5, and 12 from tuberculosis.

RHODE ISLAND—*Newport*.—Month of October, 1904. Estimated population, 23,000. Total number of deaths, 20, including enteric fever 2, and 2 from tuberculosis.

TENNESSEE—*Chattanooga*.—Month of October, 1904. Estimated population, 40,000—white, 27,000; colored, 13,000. Total number of deaths, 45—white, 23; colored, 22—including diphtheria 1, enteric fever 4, and 3 from tuberculosis.

Nashville.—Month of October, 1904. Estimated population, 82,947—white, 52,061; colored, 30,886. Total number of deaths, 141—white, 80; colored, 61—including diphtheria 1, enteric fever 4, whooping cough 2, and 30 from tuberculosis.

UTAH—*Salt Lake City*.—Month of October, 1904. Estimated population, 75,000. Total number of deaths 76, including diphtheria 5, enteric fever 6, and 6 from tuberculosis.

WASHINGTON—*Tacoma*.—Month of October, 1904. Estimated population, 65,000. Total number of deaths 30, including 5 from phthisis pulmonalis.